

Patent
52478-0600**IN THE CLAIMS:**

1. (Currently Amended) A broadcast apparatus for broadcasting broadcast data comprising:

acquiring means for acquiring a first broadcast data group including at least first broadcast data and a reproduction time period in which the first broadcast data is to be reproduced by a reception apparatus; [[and]]

broadcasting means for repeatedly broadcasting the first broadcast data from a specific time to an end of the reproduction time period, the specific time being a point in time before a start of the reproduction time period, and a time period between the specific time and the start of the reproduction time period being a predetermined time period;

cache instruction broadcasting means for broadcasting a cache instruction before the start of the reproduction time period, the cache instruction instructing the reception apparatus to cache only the first broadcast data; and

reproduction instruction broadcasting means for broadcasting a reproduction instruction during the reproduction time period, the reproduction instruction instructing the reception apparatus to reproduce, when the first broadcast data has been cached according to the cache instruction, the cached broadcast data.

2. (Currently Amended) The broadcast apparatus of claim 1, wherein

the acquiring means further acquires second broadcast data which is to be reproduced before the first broadcast data, and

the broadcasting means repeatedly broadcasts a second broadcast data group including at least the second broadcast data until the specific time.

Patent
52478-0600

3. (Currently Amended) The broadcast apparatus of claim 2, wherein
the broadcasting means broadcasts the second broadcast data group on a
predetermined bandwidth until the specific time and broadcasts the first broadcast data group on
the predetermined bandwidth from the specific time.

4. (Currently Amended) The broadcast apparatus of claim 1, wherein
the acquiring means further acquires second broadcast data which is to be
reproduced before the first broadcast data, and
the broadcasting means repeatedly broadcasts a second broadcast data group
including at least the second broadcast data until the start of the reproduction time period.

5. (Original) The broadcast apparatus of claim 4,
wherein the broadcasting means broadcasts the second broadcast data on a
predetermined bandwidth until the specific time and broadcasts the second broadcast data and
the first broadcast data on the predetermined bandwidth from the specific time to the start of the
reproduction period.

6. (Currently Amended) The broadcast apparatus of claim 4,
wherein the broadcasting means broadcasts the second broadcast data group on a
predetermined bandwidth until the specific time and broadcasts the second broadcast data group
on the predetermined bandwidth from the specific time to the start of the reproduction period.

7. (Cancelled)

Patent
52478-0600

8. (Currently Amended) The broadcast apparatus of claim [[7]] 1, wherein

the cache instruction broadcasting means broadcasts the cache instruction to instruct the reception apparatus to perform the caching by accumulating only the first broadcast data, and

the reproduction instruction broadcasting means broadcasts the reproduction instruction to instruct the reception apparatus to reproduce, (a) when the first broadcast data has been accumulated according to the cache instruction, the accumulated broadcast data, and (b) when the first broadcast data has not been accumulated according to the cache instruction, the first broadcast data broadcast by the broadcasting means.

9. (Currently Amended) The broadcast apparatus of claim [[7]] 1, wherein

the cache instruction broadcasting means broadcasts the cache instruction to instruct the reception apparatus to perform the caching by storing the first broadcast data into a cache memory when the first broadcast data has been stored in a predetermined storage medium, and

the reproduction instruction broadcasting means broadcasts the reproduction instruction to instruct the reception apparatus to reproduce, (a) when the first broadcast data has been stored in the cache memory according to the cache instruction, the first broadcast data stored in the cache memory, and (b) when the first broadcast data has not been stored in the cache memory according to the cache instruction, the first broadcast data stored in the predetermined storage medium or the first broadcast data broadcast by the broadcasting means.

Patent
52478-0600

10. (Currently Amended) A broadcast apparatus for multiplexing and broadcasting program data which is to be reproduced by a reception apparatus soon after receipt and additional data which corresponds to the program data, the broadcast apparatus comprising:

acquiring means for acquiring first program data, a first additional data group including at least first additional data corresponding to the first program data, a broadcast time period of the first program data, and second program data which is to be broadcast before the first program data;

multiplexing means for repeatedly multiplexing the first additional data group with the second program data from a specific time to a start of the broadcast time period and repeatedly multiplexing the first additional data group with the first program data during the broadcast time period, the specific time being a point in time before the start of the broadcast time period, and a time period between the specific time and the start of the broadcast time period being a predetermined time period; [[and]]

broadcasting means for broadcasting the data multiplexed by the multiplexing means;

cache instruction broadcasting means for broadcasting a cache instruction before the start of the reproduction time period, the cache instruction instructing the reception apparatus to cache only the first additional data; and

use instruction broadcasting means for broadcasting a use instruction after the start of the reproduction time period, the use instruction instructing the reception apparatus to use, when the first additional data has been cached according to the cache instruction, the cached additional data.

Patent
52478-0600

11. (Currently Amended) The broadcast apparatus of claim 10, wherein
the acquiring means further acquires second additional data corresponding to the
second program data, and

the multiplexing means repeatedly multiplexes a second additional data group
including at least the second additional data with the second program data until the specific time.

12. (Currently Amended) The broadcast apparatus of claim 11, wherein
the multiplexing means performs the multiplexing for the second additional data
group on a predetermined bandwidth until the specific time and performs the multiplexing for the
first additional data group on the predetermined bandwidth from the specific time.

13. (Currently Amended) The broadcast apparatus of claim 10, wherein
the acquiring means further acquires second additional data corresponding to the
second program data, and

the multiplexing means repeatedly multiplexes a second additional data group
including at least the second additional data with the second program data until the start of the
broadcast time period.

14. (Original) The broadcast apparatus of claim 13,
wherein the multiplexing means performs the multiplexing for the second
additional data on a predetermined bandwidth until the specific time and performs the
multiplexing for the second additional data and the first additional data on the predetermined
bandwidth from the specific time to the start of the broadcast time period.

Patent
52478-0600

15. (Currently Amended) The broadcast apparatus of claim 13,

wherein the multiplexing means performs the multiplexing for the second additional data group on a predetermined bandwidth until the specific time and performs the multiplexing for the second additional data group on the predetermined bandwidth from the specific time to the start of the broadcast time period.

16. (Cancelled)

17. (Currently Amended) The broadcast apparatus of claim ~~[[16]]~~ 10, wherein

the cache instruction broadcasting means broadcasts the cache instruction to instruct the reception apparatus to perform the caching by accumulating only the first additional data, and

the use instruction broadcasting means broadcasts the use instruction to instruct the reception apparatus to use, (a) when the first additional data has been accumulated according to the cache instruction, the accumulated first additional data, and (b) when the first additional data has not been accumulated according to the cache instruction, the first additional data broadcast by the broadcasting means.

18. (Currently Amended) The broadcast apparatus of claim ~~[[16]]~~ 10, wherein

the cache instruction broadcasting means broadcasts the cache instruction to instruct the reception apparatus to perform the caching by storing the first additional data into a cache memory when the first additional data has been stored in a predetermined storage medium, and

the use instruction broadcasting means broadcasts the use instruction to instruct the reception apparatus to use, (a) when the first additional data has been stored in the cache

Patent
52478-0600

memory according to the cache instruction, the first additional data stored in the cache memory, and (b) when the first additional data has not been stored in the cache memory according to the cache instruction, the first additional data stored in the predetermined storage medium.

19. (Original) The broadcast apparatus of claim 10, wherein

the acquiring means further acquires second additional data corresponding to the second program data and a broadcast time period of the second program data, the broadcast apparatus further comprises judging means for judging whether the broadcast time period of the second program data is longer than a predetermined criterion time period, and

the multiplexing means,

(a) when the judging means judges that the broadcast time period of the second program data is longer than the predetermined criterion time period, repeatedly multiplexes the second additional data with the second program data until the specific time, repeatedly multiplexes the first additional data with the second program data from the specific time to the start of the broadcast time period of the first program data, and repeatedly multiplexes the first additional data with the first program data during the broadcast time period of the first program data, and

(b) when the judging means judges that the broadcast time period of the second program data is no longer than the predetermined criterion time period, repeatedly multiplexes the second additional data with the second program data until the specific time, repeatedly multiplexes the second additional data and the first additional data with the second program data from the specific time to the start of the broadcast time period of the first program data, and

Patent
52478-0600

repeatedly multiplexes the first additional data with the first program data during the broadcast time period of the first program data.

20. (Original) The broadcast apparatus of claim 10, wherein

the acquiring means further acquires second additional data corresponding to the second program data and a broadcast time period of the second program data,

the broadcast apparatus further comprises judging means for judging whether the broadcast time period of the second program data is longer than a predetermined criterion time period, and

the multiplexing means

(a) repeatedly multiplexes the second additional data with the second program data until the specific time so that a bandwidth for the second additional data is allocated to a predetermined bandwidth,

(b) when the judging means judges that the broadcast time period of the second program data is longer than the predetermined criterion time period, repeatedly multiplexes the first additional data with the second program data from the specific time to the start of the broadcast time period of the first program data so that a bandwidth for the first additional data is allocated to the predetermined bandwidth, and repeatedly multiplexes the first additional data with the first program data during the broadcast time period of the first program data, and

(c) when the judging means judges that the broadcast time period of the second program data is no longer than the predetermined criterion time period, so that a total bandwidth for the second additional data and the first additional data is allocated to the predetermined bandwidth, repeatedly multiplexes the second additional data and the first additional data with

Patent
52478-0600

the second program data from the specific time to the start of the broadcast time period of the first program data, and repeatedly multiplexes the first additional data with the first program data during the broadcast time period of the first program data.

21. (Original) The broadcast apparatus of claim 10, wherein

the first additional data acquiring means further acquires second additional data corresponding to the second program data and a broadcast time period of the second program data,

the broadcast apparatus further comprises judging means for judging whether the broadcast time period of the second program data is longer than a predetermined criterion time period, and

the multiplexing means

(a) repeatedly multiplexes the second additional data with the second program data until the specific time so that a bandwidth for the second additional data is allocated to a predetermined bandwidth,

(b) when the judging means judges that the broadcast time period of the second program data is longer than the predetermined criterion time period, so that a bandwidth for the first additional data is allocated to the predetermined bandwidth, repeatedly multiplexes the first additional data with the second program data from the specific time to the start of the broadcast time period of the first program data and repeatedly multiplexes the first additional data with the first program data during the broadcast time period of the first program data, and

(c) when the judging means judges that the broadcast time period of the second program data is no longer than the predetermined criterion time period, repeatedly multiplexes

Patent
52478-0600

the second additional data and the first additional data with the second program data from the specific time to the start of the broadcast time period of the first program data so that a total bandwidth for the second additional data and the first additional data is increased by adding a bandwidth for the first additional data to the predetermined bandwidth and repeatedly multiplexes the first additional data with the first program data during the broadcast time period of the first program data so that a bandwidth for the first additional data is allocated to the predetermined bandwidth.

22. (Previously Presented) The broadcast apparatus of claim 19, wherein,
when the judging means judges that the broadcast time period of the second time period of the second program data is no longer than the predetermined criterion time period, the multiplexing means repeatedly multiplexes the second additional data and the first additional data with the second program data during the broadcast time period of the second program data.

23. (Previously Presented) The broadcast apparatus of claim 19, further comprising:
criterion time period determining means for determining the predetermined criterion time period to be used by the judging means by multiplying a time period of a broadcast cycle of additional data by a predetermined coefficient.

24. (Original) The broadcast apparatus of claim 10, wherein
the acquiring means further acquires second additional data corresponding to the second program data and a broadcast time period of the second program data, the second additional data is updated during the broadcast time period of the second program data,

Patent
52478-0600

the broadcast apparatus further comprises judging means for judging whether a time period from the last update time of the second additional data to the start of the broadcast time period of the first program data is longer than a predetermined criterion time period, and the multiplexing means,

(a) when the judging means judges that the time period from the last update time of the second additional data to the start of the broadcast time period of the first program data is longer than the predetermined criterion time period, repeatedly multiplexes the second additional data with the second program data until the specific time, repeatedly multiplexes the first additional data with the second program data from the specific time to the start of the broadcast time period of the first program data, and repeatedly multiplexes the first additional data with the first program data during the broadcast time period of the first program data, and

(b) when the judging means judges that the time period from the last update time of the second additional data to the start of the broadcast time period of the first program data is no longer than the predetermined criterion time period, repeatedly multiplexes the second additional data with the second program data until the specific time, repeatedly multiplexes the second additional data and the first additional data with the second program data from the specific time to the start of the broadcast time period of the first program data, and repeatedly multiplexes the first additional data with the first program data during the broadcast time period of the first program data.

Patent
52478-0600

25. (Original) The broadcast apparatus of claim 10, wherein

the acquiring means further acquires second additional data corresponding to the second program data and a broadcast time period of the second program data, the second additional data is updated during the broadcast time period of the second program data,

the broadcast apparatus further comprises judging means for judging whether a time period from the last update time of the second additional data to the start of the broadcast time period of the first program data is longer than a predetermined criterion time period, and

the multiplexing means

(a) repeatedly multiplexes the second additional data with the second program data until the specific time so that a bandwidth for the second additional data is allocated to a predetermined bandwidth,

(b) when the judging means judges that the time period from the last update time of the second additional data to the start of the broadcast time period of the first program data is longer than the predetermined criterion time period, repeatedly multiplexes the first additional data with the second program data from the specific time to the start of the broadcast time period of the first program data so that a bandwidth, for the first additional data is allocated to the predetermined bandwidth and repeatedly multiplexes the first additional data with the first program data during the broadcast time period of the first program data, and

(c) when the judging means judges that the time period from the last update time of the second additional data to the start of the broadcast time period of the first program data is no longer than the predetermined criterion time period, repeatedly multiplexes the second additional data and the first additional data with the second program data from the specific time to the start of the broadcast time period of the first program data so that a total bandwidth for the

Patent
52478-0600

second additional data and the first additional data is allocated to the predetermined bandwidth and repeatedly multiplexes the first additional data with the first program data during the broadcast time period of the first program data.

26. (Original) The broadcast apparatus of claim 10, wherein

the acquiring means further acquires second additional data corresponding to the second program data and a broadcast time period of the second program data,

the second additional data is updated during the broadcast time period of the second program data,

the broadcast apparatus further comprises judging means for judging whether a time period from a last update time of the second additional data to the start of the broadcast time period of the first program data is longer than a predetermined criterion time period, and

the multiplexing means

(a) repeatedly multiplexes the second additional data with the second program data until the specific time so that a bandwidth for the second additional data is allocated to a predetermined bandwidth,

(b) when the judging means judges that the time period from the last update time of the second additional data to the start of the broadcast time period of the first program data is longer than the predetermined criterion time period, so that a bandwidth for the first additional data is allocated to the predetermined bandwidth, repeatedly multiplexes the first additional data with the second program data from the specific time to the start of the broadcast time period of the first program data and repeatedly multiplexes the first additional data with the first program data during the broadcast time period of the first program data, and

Patent
52478-0600

(c) when the judging means judges that the time period from the last update time of the second additional data to the start of the broadcast time period of the first program data is no longer than the predetermined criterion time period, repeatedly multiplexes the second additional data and the first additional data with the second program data from the specific time to the start of the broadcast time period of the first program data so that a total bandwidth for the second additional data and the first additional data is increased by adding a bandwidth for the first additional data to the predetermined bandwidth and repeatedly multiplexes the first additional data with the first program data during the broadcast time period of the first program data so that a bandwidth for the first additional data is allocated to the predetermined bandwidth.

27. (Previously Presented) The broadcast apparatus of claim 24,

wherein, when the judging means judges that the time period from the last update time of the second additional data to the start of the broadcast time period of the first program data is no longer than the predetermined criterion time period, the multiplexing means repeatedly multiplexes the second additional data and the first additional data with the second program data during the time period from the last update time of the second additional data to the start of the broadcast time period of the first program data.

28. (Previously Presented) The broadcast apparatus of claim 24, further comprising:

criterion time period determining means for determining the predetermined criterion time period to be used by the judging means by multiplying a time period of a broadcast cycle of additional data by a predetermined coefficient.

29. (Original) The broadcast apparatus of claim 10, wherein

Patent
52478-0600

the acquiring means further acquires second additional data corresponding to the second program data, the broadcast apparatus further comprises judging means for judging whether the broadcast time period is shorter than a predetermined criterion time period, and the multiplexing means,

(a) when the judging means judges that the broadcast time period is shorter than the predetermined criterion time period, repeatedly multiplexes the second additional data with the second program data until the specific time, repeatedly multiplexes the first additional data with the second program data from the specific time to the start of the broadcast time period, and repeatedly multiplexes the first additional data with the first program data during the broadcast time period, and

(b) when the judging means judges that the broadcast time period is no shorter than the predetermined criterion time period, repeatedly multiplexes the second additional data with the second program data until the start of the broadcast time period and repeatedly multiplexes the first additional data with the first program data during the broadcast time period.

30. (Original) The broadcast apparatus of claim 10, wherein

the acquiring means further acquires second additional data corresponding to the second program data, the first additional data is updated during the broadcast time period of the first program data,

the broadcast apparatus further comprises judging means for judging whether a time period from the start of the broadcast time period to the first update time of the first additional data is longer than a predetermined criterion time period, and

the multiplexing means,

Patent
52478-0600

(a) when the judging means judges that the time period from the start of the broadcast time period to the first update time of the first additional data is shorter than the predetermined criterion time period, repeatedly multiplexes the second additional data with the second program data until the specific time, repeatedly multiplexes the first additional data with the second program data from the specific time to the start of the broadcast time period, and repeatedly multiplexes the first additional data with the first program data during the broadcast time period, and

(b) when the judging means judges that the time period from the start of the broadcast time period to the first update time of the first additional data is no shorter than the predetermined criterion time period, repeatedly multiplexes the second additional data with the second program data until the start of the broadcast time period and repeatedly multiplexes the first additional data with the first program data during the broadcast time period.

31. (Previously Presented) The broadcast apparatus of claim 29 further comprising:
criterion time period determining means for determining the predetermined criterion time period to be used by the judging means by multiplying a time period of a broadcast cycle of additional data by a predetermined coefficient.

32. (Currently Amended) The broadcast apparatus of claim 10, wherein
the acquiring means further acquires second additional data corresponding to the second program data,
the broadcast apparatus has ~~[[judgement]] judgement~~ information which indicates whether the multiplexing for the first additional data is to be started previous to the start of the broadcast time period, and

Patent
52478-0600

the multiplexing means,

(a) when the [[judgement]] judgment information indicates that the multiplexing is to be started previously, repeatedly multiplexes the second additional data with the second program data until the specific time, repeatedly multiplexes the first additional data with the second program data from the specific time to the start of the broadcast time period, and repeatedly multiplexes the first additional data with the first program data during the broadcast time period, and

(b) when the [[judgement]] judgment information indicates that the multiplexing is not to be started previously, repeatedly multiplexes the second additional data with the second program data until the start of the broadcast time period and repeatedly multiplexes the first additional data with the first program data during the broadcast time period.

33. (Currently Amended) A broadcast apparatus for multiplexing and broadcasting program data which is to be reproduced by a reception apparatus soon after receipt and additional data corresponding to the program data, the broadcast apparatus comprising:

acquiring means for acquiring first program data, a first additional data group including at least first additional data corresponding to the first program data, a broadcast time period of the first program data, second program data to be broadcast before the first program data, second additional data corresponding to the second program data, and a broadcast time period of the second program data;

judging means for judging, for each of the broadcast time period of the first program data and the broadcast time period of the second program data, whether the broadcast time period is shorter than a predetermined criterion time period;

Patent
52478-0600

multiplexing means for,

(a) in a first case where the broadcast time period of the first program data is shorter than the predetermined criterion time period and the broadcast time period of the second program data is no shorter, than the predetermined criterion time period, repeatedly multiplexing the second additional data with the second program data until a specific time, repeatedly multiplexing the first additional data group with the second program data from the specific time to a start of the broadcast time period of the first program data, and repeatedly multiplexing the first additional data group with the first program data during the broadcast time period of the first program data, the specific time being a point in time before the start of the broadcast time period of the first program data, and a time period between the specific time and the start of the broadcast time period of the first program data being a predetermined time period,

(b) in a second case where the broadcast time period of the first program data and the broadcast time period of the second program data are each shorter than the predetermined criterion time period, repeatedly multiplexing the second additional data and the first additional data group with the second program data from the specific time to the start of the broadcast time period of the first program data and repeatedly multiplexing the first additional data group with the first program data during the broadcast time period of the first program data, and

(c) in a third case where the broadcast time period of the first program data is no shorter than the predetermined criterion time period, regardless of whether the broadcast time period of the second program data is shorter than the predetermined criterion time period, repeatedly multiplexing the second additional data with the second program data until the start of the broadcast time period of the first program data and repeatedly multiplexing the first

Patent
52478-0600

additional data group with the first program data during the broadcast time period of the first program data; and

broadcasting means for broadcasting the data multiplexed by the multiplexing means;

cache instruction broadcasting means for broadcasting a cache instruction before the start of the reproduction time period, the cache instruction instructing the reception apparatus to cache only the first additional data; and

use instruction broadcasting means for broadcasting a use instruction after the start of the reproduction time period, the use instruction instructing the reception apparatus to use, when the first additional data has been cached according to the cache instruction, the cached additional data.

34. (Original) The broadcast apparatus of claim 33, wherein the multiplexing means

(a) repeatedly multiplexes the second additional data with the second program data until the specific time so that a bandwidth for the second additional data is allocated to a predetermined bandwidth,

(b) in the first case, repeatedly multiplexes the first additional data with the second program data from the specific time to the start of the broadcast time period of the first program data so that a bandwidth for the first additional data is allocated to the predetermined bandwidth, and

(c) in the second case, repeatedly multiplexes the second additional data and the first additional data with the second program data from the specific time to the start of the

Patent
52478-0600

broadcast time period of the first program data so that a total bandwidth for the first additional data and the first additional data is allocated to the predetermined bandwidth.

35. (Original) The broadcast apparatus of claim 33, wherein the multiplexing means

(a) repeatedly multiplexes the second additional data with the second program data until the specific time so that a bandwidth for the second additional data is allocated to a predetermined bandwidth,

(b) in the first case, repeatedly multiplexes the first additional data with the second program data from the specific time to the start of the broadcast time period of the first program data so that a bandwidth for the first additional data is allocated to the predetermined bandwidth,

and

(c) in the second case, repeatedly multiplexes the second additional data and the first additional data with the second program data from the specific time to the start of the broadcast time period of the first program data so that a total bandwidth for the first additional data and the first additional data is increased by adding a bandwidth for the first additional data to the predetermined bandwidth.

36. (Currently Amended) A broadcast apparatus for multiplexing and broadcasting program data which is to be reproduced by a reception apparatus soon after receipt and additional data which corresponds to the program data, the broadcast apparatus comprising:

acquiring means for acquiring first program data, a first additional data group including at least first additional data corresponding to the first program data, a broadcast time period of the first program data, second program data which is to be broadcast before the first program data, and second additional data corresponding to the second program data;

Patent
52478-0600

accepting means for accepting, from an outside, ~~[[judgement]]~~ judgment on whether multiplexing for the first additional data group is to be started at a specific time or a start time of the broadcast time period, the specific time being a point in time before the start of the broadcast time period, and a time period between the specific time and the start of the broadcast time period being a predetermined time period;

multiplexing means for,

(a) in a first case that the accepting means accepts ~~[[judgement]]~~ judgment that the multiplexing for the first additional data group is to be started at the specific time, repeatedly multiplexing the second additional data with the second program data until the specific time, repeatedly multiplexing the first additional data group with the second program data from the specific time to the start of the broadcast time period, and repeatedly multiplexing the first additional data group with the first program data during the broadcast time period, and

(b) in a second case that the accepting means accepts ~~[[judgement]]~~ judgment that the multiplexing for the first additional data group is to be started at the start time, repeatedly multiplexing the second additional data with the second program data until the start of the broadcast time period, repeatedly multiplexing the first additional data group with the second program data from the specific time to a start of the broadcast time period of the first program data, and repeatedly multiplexing the first additional data group with the first program data during the broadcast time period; ~~[[and]]~~

broadcasting means for broadcasting the data multiplexed by the multiplexing means;

Patent
52478-0600

cache instruction broadcasting means for broadcasting a cache instruction before the start of the reproduction time period, the cache instruction instructing the reception apparatus to cache only the first additional data; and

use instruction broadcasting means for broadcasting a use instruction after the start of the reproduction time period, the use instruction instructing the reception apparatus to use, when the first additional data has been cached according to the cache instruction, the cached additional data.

37. (Original) The broadcast apparatus of claim 36, wherein the multiplexing means

(a) repeatedly multiplexes the second additional data with the second program data until the specific time so that a bandwidth for the second additional data is allocated to a predetermined bandwidth, and

(b) in the first case, repeatedly multiplexes the first additional data with the second program data from the specific time to the start of the broadcast time period of the first program data so that a bandwidth for the first additional data is allocated to the predetermined bandwidth.

38. (Currently Amended) A broadcast apparatus for multiplexing and broadcasting program data which is to be reproduced by a reception apparatus soon after receipt and additional data which corresponds to the program data, the broadcast apparatus comprising:

acquiring means for acquiring first program data, a first additional data group including at least first additional data corresponding to the first program data, a broadcast time period of the first program data, second program data which is to be broadcast before the first program data, and second additional data corresponding to the second program data;

Patent
52478-0600

accepting means for accepting, from an outside, ~~[[judgement]]~~ judgment on whether multiplexing for the second additional data is to be continued until the start of the broadcast time period;

multiplexing means for,

(a) in a first case that the accepting means accepts ~~[[judgement]]~~ judgment that the multiplexing for the second additional data is not to be continued until the start of the broadcast time period, repeatedly multiplexing the second additional data with the second program data until the specific time, repeatedly multiplexing the first additional data group with the second program data from the specific time to the start of the broadcast time period, and repeatedly multiplexing the first additional data group with the first program data during the broadcast time period, and

(b) in a second case that the accepting means accepts ~~[[judgement]]~~ judgment that multiplexing for the second additional data is to be continued until the start of the broadcast time period, repeatedly multiplexing the second additional data and the first additional data group with the second program data from the specific time to the start of the broadcast time period and repeatedly multiplexing the first additional data group with the first program data during the broadcast time period; ~~[[and]]~~

broadcasting means for broadcasting the data, multiplexed by the multiplexing means;

cache instruction broadcasting means for broadcasting a cache instruction before the start of the reproduction time period, the cache instruction instructing the reception apparatus to cache only the first additional data; and

Patent
52478-0600

use instruction broadcasting means for broadcasting a use instruction after the start of the reproduction time period, the use instruction instructing the reception apparatus to use, when the first additional data has been cached according to the cache instruction, the cached additional data.

39. (Original) The broadcast apparatus of claim 38, wherein the multiplexing means

(a) repeatedly multiplexes the second additional data with the second program data until the specific time so that a bandwidth for the second additional data is allocated to a predetermined bandwidth,

(b) in the first case, repeatedly multiplexes the first additional data with the second program data from the specific time to the start of the broadcast time period so that a bandwidth for the first additional data is allocated to the predetermined bandwidth, and

(c) in the second case, repeatedly multiplexes the second additional data and the first additional data with the second program data from the specific time to the start of the broadcast time period so that a total bandwidth for the first additional data and the first additional data is increased by adding a bandwidth for the first additional data to the predetermined bandwidth.

40. (Original) The broadcast apparatus of claim 38, wherein the multiplexing means

(a) repeatedly multiplexes the second additional data with the second program data until the specific time so that a bandwidth for the second additional data is allocated to a predetermined bandwidth,

Patent
52478-0600

(b) in the first case, repeatedly multiplexes the first additional data with the second program data from the specific time to the start of the broadcast time period so that a bandwidth for the first additional data is allocated to the predetermined bandwidth, and

(c) in the second case, repeatedly multiplexes the second additional data and the first additional data with the second program data from the specific time to the start of the broadcast time period so that a total bandwidth for the first additional data and the first additional data is increased by adding a bandwidth for the first additional data to the predetermined bandwidth.

41. (Previously Presented) The broadcast apparatus of claim 36,
wherein the accepting means further accepts, from the outside, an indication of the predetermined time period.

42. (Currently Amended) A reception apparatus for receiving and reproducing broadcast data which is repeatedly broadcast on a predetermined bandwidth, the reception apparatus comprising:

receiving means for receiving,

(a) from a point of a predetermined time period before a start of the reproduction time period to an end of the reproduction time period, a first broadcast data group including at least first broadcast data to be reproduced during a reproduction time period, the first broadcast data being repeatedly broadcast from a point of a predetermined time period before a start of the reproduction time period to an end of the reproduction time period,

(b) before the start of the reproduction time period, a cache instruction instructing to cache only the first broadcast data included in the first broadcast data group, and

Patent
52478-0600

(c) a reproduction instruction instructing to reproduce, during the reproduction time period, (i) when the first broadcast data has been cached, the cached first broadcast data and (ii) when the first broadcast data has not been cached, the received first broadcast data;

caching means for caching, according to the cache instruction when the first broadcast data group is received during the predetermined time period, only the first broadcast data included in the first broadcast data group which is received by the receiving means before the start of the reproduction time period until the start of the reproduction time period when the first broadcast data is received during the predetermined time period; and

reproducing means for reproducing the cached first broadcast data when the first broadcast data has been cached by the caching means according to the reproduction instruction.

43. (Cancelled)

44. (Currently Amended) The reception apparatus of claim 42, wherein
the receiving means further receives

a cache instruction to store the first broadcast data into a cache memory when the first broadcast data has been stored in a predetermined storage medium before the start of the reproduction time period and

a reproduction instruction to reproduce, during the reproduction time period, (a) when the first broadcast data has been stored in the cache memory, the cached first broadcast data and (b) when the first broadcast data has not been stored in the cache memory, the first broadcast data received by the receiving means or the first broadcast data stored in the predetermined storage medium,

Patent
52478-0600

the caching means stores only the first broadcast data into the cache memory before the start of the reproduction time period, according to the cache instruction, and

the reproducing means reproduces, during the reproduction time period, (a) when the first broadcast data has been stored in the cache memory, the first broadcast data stored in the cache memory, and (b) when the first broadcast data is not stored in the cache memory, the first broadcast data stored in the predetermined storage medium or the first broadcast data received by the receiving means, according to the reproduction instruction.

45. (Currently Amended) A reception apparatus for receiving multiplexed data which is made up of program data which is to be reproduced by a reception apparatus soon after receipt and additional data which corresponds to the program data so that a total bandwidth is allocated to a predetermined bandwidth, the reception apparatus comprising:

receiving means for repeatedly receiving

[[(a)]] ~~first multiplexed data which is made up of first additional data corresponding to first program data and second program data transmitted by (a) repetitively multiplexing, from a point of a predetermined time period before a start of a broadcast time period in which the first program data is to be reproduced to an end of the a broadcast time period for second program data, an additional data group including first additional data that corresponds to the first program data with the second program data, and (b) singly multiplexing, with the multiplexed additional data group and second program, a cache instruction instructing to cache only the first additional data, the second program data being [[to be]] reproduced before the first program data, and~~

Patent
52478-0600

~~[[(b)]]~~ second multiplexed data which is made up of ~~transmitted by (a) repetitively~~
multiplexing the first additional data group ~~[[and]]~~ with the first program data, during the
broadcast time period and (b) singly multiplexing a use instruction with the multiplexed first
additional data group and first program data, the use instruction instructing to use, (i) when the
first additional data has been cached, the cached first additional data, and (ii) when the first
additional data has not been cached, the received first additional data;

reproducing means for reproducing the first program data of the first multiplexed
data during the broadcast time period for the first program data;

caching means for caching, when the receiving means receives the first additional
data of the first multiplexed data, the first additional data according to the cache instruction until
~~the start of the broadcast time period when the receiving means receives the multiplexed data~~
including the first additional data during the predetermined time period; and

using means for using, according to the use instruction during the broadcast time
period, (a) when the first additional data has been cached, the cached first additional data, and (b)
when the first additional data has not been cached, the first additional data of the second
multiplexed data the cached first additional data when the first additional data has been cached
by the caching means.

46. (Cancelled)

47. (Currently Amended) The reception apparatus of claim 45, wherein
the receiving means further receives

Patent
52478-0600

a cache instruction to cache the first additional data when the first additional data has been stored in a predetermined storage medium before the start of the broadcast time period and

a use instruction to use, during the broadcast time period, (a) when the first additional data has been stored in the cache memory, the first additional data stored in the cache memory and (b) when the first additional data has not been stored in the cache memory, the first additional data received by the receiving means or the first additional data stored in the predetermined storage medium,

the caching means stores only the first additional data into the cache memory before the start of the broadcast time period, according to the cache instruction, and

the using means uses, during the broadcast time period, (a) when the first additional data has been stored in the cache memory, the first additional data stored in the cache memory, and (b) when the first additional data is not stored in the cache memory, the first additional data stored in the predetermined storage medium or the first additional data received by the receiving means, according to the use instruction.

48. (Currently Amended) A broadcast method for broadcasting broadcast data comprising:

an acquiring step for acquiring a first broadcast data group including at least first broadcast data and a reproduction time period in which the first broadcast data is to be reproduced by a reception apparatus; [[and]]

a broadcasting step for repeatedly broadcasting the first broadcast data from a specific time to an end of the reproduction time period, the specific time being a point in time

Patent
52478-0600

before a start of the reproduction time period, and a time period between the specific time and the start of the reproduction time period being a predetermined time period;

cache instruction broadcasting step for broadcasting a cache instruction before the start of the reproduction time period, the cache instruction instructing the reception apparatus to cache only the first broadcast data; and

reproduction instruction broadcasting step for broadcasting a reproduction instruction during the reproduction time period, the reproduction instruction instructing the reception apparatus to reproduce, when the first broadcast data has been cached according to the cache instruction, the cached broadcast data.

49. (Currently Amended) A broadcast method for multiplexing and broadcasting program data which is to be reproduced by a reception apparatus soon after receipt and additional data which corresponds to the program data, the broadcast method comprising:

an acquiring step for acquiring first program data, a first additional data group including at least first additional data corresponding to the first program data, a broadcast time period of the first program data, and second program data which is to be broadcast before the first program data;

a multiplexing step for repeatedly multiplexing the first additional data group with the second program data from a specific time to a start of the broadcast time period and repeatedly multiplexing the first additional data group with the first program data during the broadcast time period, the specific time being a point in time before the start of the broadcast time period, and a time period between the specific time and the start of the broadcast time period being a predetermined time period; [[and]]

Patent
52478-0600

a broadcasting step for broadcasting the data multiplexed in the multiplexing step;
cache instruction broadcasting step for broadcasting a cache instruction before the start of the reproduction time period, the cache instruction instructing the reception apparatus to cache only the first additional data; and
use instruction broadcasting step for broadcasting a use instruction after the start of the reproduction time period, the use instruction instructing the reception apparatus to use, when the first additional data has been cached according to the cache instruction, the cached additional data.

50. (Currently Amended) A broadcast method for multiplexing and broadcasting program data which is to be reproduced by a reception apparatus soon after receipt and additional data corresponding to the program data, the broadcast method comprising:

an acquiring step for acquiring first program data, a first additional data group including at least first additional data corresponding to the first program data, a broadcast time period of the first program data, second program data to be broadcast before the first program data, second additional data corresponding to the second program data, and a broadcast time period of the second program data;

a judging step for judging, for each of the broadcast time period of the first program data and the broadcast time period of the second program data, whether the broadcast time period is shorter than a predetermined criterion time period;

a multiplexing step for,

(a) in a first case where the broadcast time period of the first program data is shorter than the predetermined criterion time period and the broadcast time period of the second

Patent
52478-0600

program data is no shorter than the predetermined criterion time period, repeatedly multiplexing the second additional data with the second program data until a specific time, repeatedly multiplexing the first additional data group with the second program data from the specific time to a start of the broadcast time period of the first program data, and repeatedly multiplexing the first additional data group with the first program data during the broadcast time period of the first program data, the specific time being a point in time before the start of the broadcast time period of the first program data, and a time period between the specific time and the start of the broadcast time period of the first program data being a predetermined time period,

(b) in a second case where the broadcast time period of the first program data and the broadcast time period of the second program data are each shorter than the predetermined criterion time period, repeatedly multiplexing the second additional data and the first additional data group with the second program data from the specific time to the start of the broadcast time period of the first program data and repeatedly multiplexing the first additional data group with the first program data during the broadcast time period of the first program data, and

(c) in a third case where the broadcast time period of the first program data is no shorter than the predetermined criterion time period, regardless of whether the broadcast time period of the second program data is shorter than the predetermined criterion time period, repeatedly multiplexing the second additional data with the second program data until the start of the broadcast time period of the first program data and repeatedly multiplexing the first additional data with the first program data during the broadcast time period of the first program data; and

a broadcasting step for broadcasting the data multiplexed in the multiplexing step;

Patent
52478-0600

cache instruction broadcasting step for broadcasting a cache instruction before the start of the reproduction time period, the cache instruction instructing the reception apparatus to cache only the first additional data; and

use instruction broadcasting step for broadcasting a use instruction after the start of the reproduction time period, the use instruction instructing the reception apparatus to use, when the first additional data has been cached according to the cache instruction, the cached additional data.

51. (Currently Amended) A reception method for receiving and reproducing broadcast data which is repeatedly broadcast on a predetermined bandwidth, the reception method comprising:

a receiving step for receiving,

(a) from a point of a predetermined time period before a start of the reproduction time period to an end of the reproduction time period, a first broadcast data group including at least first broadcast data to be reproduced during a reproduction time period, the first broadcast data being repeatedly broadcast from a point of a predetermined time period before a start of the reproduction time period to an end of the reproduction time period,

(b) before the start of the reproduction time period, a cache instruction instructing to cache only the first broadcast data included in the first broadcast data group, and

(c) a reproduction instruction instructing to reproduce, during the reproduction time period, (i) when the first broadcast data has been cached, the cached first broadcast data and (ii) when the first broadcast data has not been cached, the received first broadcast data;

Patent
52478-0600

a caching step for caching, according to the cache instruction when the first broadcast data group is received during the predetermined time period, only the first broadcast data included in the first broadcast data group which is received by the receiving step before the start of the reproduction time period until the start of the reproduction time period when the first broadcast data is received during the predetermined time period; and

a reproducing step for reproducing the cached first broadcast data when the first broadcast data has been cached by the caching step according to the reproduction instruction.

52. (Currently Amended) A broadcast method for receiving multiplexed data which is made up of program data which is to be reproduced by a reception apparatus soon after receipt and additional data which corresponds to the program data so that a total bandwidth is allocated to a predetermined bandwidth, the reception method comprising:

a receiving step for repeatedly receiving

[[(a)]] first multiplexed data which is made up of first additional data corresponding to first program data and second program data transmitted by (a) repetitively multiplexing, from a predetermined time period before a start of a broadcast time period in which the for first program data is to be reproduced to an end of the a broadcast time period for second program data, an additional data group including first additional data that corresponds to the first program data with the second program data, and (b) singly multiplexing, with the multiplexed additional data group and second program, a cache instruction instructing to cache only the first additional data, the second program data being [[to be]] reproduced before the first program data, and

Patent
52478-0600

~~[[b)] second multiplexed data which is made up of transmitted by (a) repetitively multiplexing the first additional data group [[and]] with the first program data, during the broadcast time period and (b) singly multiplexing a use instruction with the multiplexed first additional data group and first program data, the use instruction instructing to use, (i) when the first additional data has been cached, the cached first additional data, and (ii) when the first additional data has not been cached, the received first additional data;~~

~~a reproducing step for reproducing the first program data of the first multiplexed data during the broadcast time period for the first program data;~~

~~a caching step for caching, when the receiving step receives the first additional data of the first multiplexed data, the first additional data according to the cache instruction until the start of the broadcast time period when the multiplexed data including the first additional data is received during the predetermined time period in the receiving step; and~~

~~a using step for using, according to the use instruction during the broadcast time period, (a) when the first additional data has been cached, the cached first additional data, and (b) when the first additional data has not been cached, the first additional data of the second multiplexed data the cached first additional data when the first additional data has been cached in the caching step.~~

53. (Currently Amended) A broadcast program for broadcasting broadcast data, the broadcast program having a computer execute:

an acquiring step for acquiring a first broadcast data group including at least first broadcast data and a reproduction time period in which the first broadcast data is to be reproduced by a reception apparatus; [[and]]

Patent
52478-0600

a broadcasting step for repeatedly broadcasting the first broadcast data from a specific time to an end of the reproduction time period, the specific time being a point in time before a start of the reproduction time period, and a time period between the specific time and the start of the reproduction time period being a predetermined time period;

cache instruction broadcasting step for broadcasting a cache instruction before the start of the reproduction time period, the cache instruction instructing the reception apparatus to cache only the first broadcast data; and

reproduction instruction broadcasting step for broadcasting a reproduction instruction during the reproduction time period, the reproduction instruction instructing the reception apparatus to reproduce, when the first broadcast data has been cached according to the cache instruction, the cached broadcast data.

54. (Currently Amended) A broadcast program for multiplexing- and broadcasting program data which is to be reproduced by a reception apparatus soon after receipt and additional data which corresponds to the program data, the broadcast program having a computer execute:

an acquiring step for acquiring first program data, a first additional data group including at least first additional data corresponding to the first program data, a broadcast time period of the first program data, and second program data which is to be broadcast before the first program data;

a multiplexing step for repeatedly multiplexing the first additional data group with the second program data from a specific time to a start of the broadcast time period and repeatedly multiplexing- the first additional data group with the first program data during the

Patent
52478-0600

broadcast time period, the specific time being a point in time before the start of the broadcast time period, and a time period between the specific time and the start of the broadcast time period being a predetermined time period; [[and]]

a broadcasting step for broadcasting the data multiplexed in the multiplexing step;
cache instruction broadcasting step for broadcasting a cache instruction before the start of the reproduction time period, the cache instruction instructing the reception apparatus to cache only the first additional data; and

use instruction broadcasting step for broadcasting a use instruction after the start of the reproduction time period, the use instruction instructing the reception apparatus to use, when the first additional data has been cached according to the cache instruction, the cached additional data.

55. (Currently Amended) A broadcast program for multiplexing- and broadcasting program data which is to be reproduced by a reception apparatus soon after receipt and additional data corresponding to the program data, the broadcast program having a computer execute:

an acquiring step for acquiring first program data, a first additional data group including at least first additional data corresponding to the first program data, a broadcast time period of the first program data, second program data to be broadcast before the first program data, second additional data corresponding to the second program data, and a broadcast time period of the second program data;

Patent
52478-0600

a judging step for judging, for each of the broadcast time period of the first program data and the broadcast time period of the second program data, whether the broadcast time period is shorter than a predetermined criterion time period;

a multiplexing step for,

(a) in a first case where the broadcast time period of the first program data is shorter than the predetermined criterion time period and the broadcast time period of the second program data is no shorter than the predetermined criterion time period, repeatedly multiplexing the second additional data group with the second program data until a specific time, repeatedly multiplexing the first additional data group with the second program data from the specific time to a start of the broadcast time period of the first program data, and repeatedly multiplexing the first additional data with the first program data during the broadcast time period of the first program data, the specific time being a point in time before the start of the broadcast time period of the first program data, and a time period between the specific time and the start of the broadcast time period of the first program data being a predetermined time period,

(b) in a second case where the broadcast time period of the first program data and the broadcast time period of the second program data are each shorter than the predetermined criterion time period, repeatedly multiplexing the second additional data and the first additional data group with the second program data from the specific time to the start of the broadcast time period of the first program data and repeatedly multiplexing the first additional data group with the first program data during the broadcast time period of the first program data, and

(c) in a third case where the broadcast time period of the first program data is no shorter than the predetermined criterion time period, regardless of whether the broadcast time period of the second program data is shorter than the predetermined criterion time period,

Patent
52478-0600

repeatedly multiplexing the second additional data with the second program data until the start of the broadcast time period of the first program data and repeatedly multiplexing the first additional data with the first program data during the broadcast time period of the first program data; and

a broadcasting step for broadcasting the data multiplexed in the multiplexing step;

cache instruction broadcasting step for broadcasting a cache instruction before the start of the reproduction time period, the cache instruction instructing the reception apparatus to cache only the first additional data; and

use instruction broadcasting step for broadcasting a use instruction after the start of the reproduction time period, the use instruction instructing the reception apparatus to use, when the first additional data has been cached according to the cache instruction, the cached additional data.

56. (Currently Amended) A reception program for receiving and reproducing broadcast data which is repeatedly broadcast on a predetermined bandwidth, the reception program having a computer execute:

a receiving step for receiving,

(a) from a point of a predetermined time period before a start of the reproduction time period to an end of the reproduction time period, a first broadcast data group including at least first broadcast data to be reproduced during a reproduction time period, the first broadcast data being repeatedly broadcast from a point of a predetermined time period before a start of the reproduction time period to an end of the reproduction time period,

Patent
52478-0600

(b) before the start of the reproduction time period, a cache instruction instructing to cache only the first broadcast data included in the first broadcast data group, and

(c) a reproduction instruction instructing to reproduce, during the reproduction time period, (i) when the first broadcast data has been cached, the cached first broadcast data and (ii) when the first broadcast data has not been cached, the received first broadcast data;

a caching step for caching, according to the cache instruction when the first broadcast data group is received during the predetermined time period, only the first broadcast data included in the first broadcast data group which is received by the receiving step before the start of the reproduction time period until the start of the reproduction time period when the first broadcast data is received during the predetermined time period; and

a reproducing step for reproducing the cached first broadcast data when the first broadcast data has been cached by the caching step according to the reproduction instruction.

57. (Currently Amended) A reception program for receiving multiplexed data which is made up of program data which is to be reproduced by a reception apparatus soon after receipt and additional data which corresponds to the program data so that a total bandwidth is allocated to a predetermined bandwidth, the reception program having a computer execute:

a receiving step for repeatedly receiving

[[(a)]] first multiplexed data which is made up of first additional data corresponding to first program data and second program data transmitted by (a) repetitively multiplexing, from a predetermined time period before a start of a broadcast time period in which the first program data is to be reproduced to an end of the a broadcast time period for second program data, an additional data group including first additional data that corresponds to the first

Patent
52478-0600

program data with the second program data, and (b) singly multiplexing, with the multiplexed additional data group and second program, a cache instruction instructing to cache only the first additional data, the second program data being [[to be]] reproduced before the first program data, and

[[(b)]] second multiplexed data which is made up of transmitted by (a) repetitively multiplexing the first additional data group [[and]] with the first program data, during the broadcast time period and (b) singly multiplexing a use instruction with the multiplexed first additional data group and first program data, the use instruction instructing to use, (i) when the first additional data has been cached, the cached first additional data, and (ii) when the first additional data has not been cached, the received first additional data;

a reproducing step for reproducing the first program data of the first multiplexed data during the broadcast time period for the first program data;

a caching step for caching, when the receiving step receives the first additional data of the first multiplexed data, the first additional data according to the cache instruction until the start of the broadcast time period when the multiplexed data including the first additional data is received during the predetermined time period in the receiving step; and

a using step for using, according to the use instruction during the broadcast time period, (a) when the first additional data has been cached, the cached first additional data, and (b) when the first additional data has not been cached, the first additional data of the second multiplexed data the cached first additional data when the first additional data has been cached in the caching step.

58. (Previously Presented) The broadcast apparatus of claim 20,

Patent
52478-0600

wherein, when the judging means judges that the broadcast time period of the second time period of the second program data is no longer than the predetermined criterion time period, the multiplexing means repeatedly multiplexes the second additional data and the first additional data with the second program data during the broadcast time period of the second program data.

59. (Previously Presented) The broadcast apparatus of claim 21,

wherein, when the judging means judges that the broadcast time period of the second time period of the second program data is no longer than the predetermined criterion time period, the multiplexing means repeatedly multiplexes the second additional data and the first additional data with the second program data during the broadcast time period of the second program data.

60. (Previously Presented) The broadcast apparatus of claim 20, further comprising:

criterion time period determining means for determining the predetermined criterion time period to be used by the judging means by multiplying a time period of a broadcast cycle of additional data by a predetermined coefficient.

61. (Previously Presented) The broadcast apparatus of claim 21, further comprising:

criterion time period determining means for determining the predetermined criterion time period to be used by the judging means by multiplying a time period of a broadcast cycle of additional data by a predetermined coefficient.

62. (Previously Presented) The broadcast apparatus of claim 25,

Patent
52478-0600

wherein, when the judging means judges that the time period from the last update time of the second additional data to the start of the broadcast time period of the first program data is no longer than the predetermined criterion time period, the multiplexing means repeatedly multiplexes the second additional data and the first additional data with the second program data during the time period from the last update time of the second additional data to the start of the broadcast time period of the first program data.

63. (Previously Presented) The broadcast apparatus of claim 26,

wherein, when the judging means judges that the time period from the last update time of the second additional data to the start of the broadcast time period of the first program data is no longer than the predetermined criterion time period, the multiplexing means repeatedly multiplexes the second additional data and the first additional data with the second program data during the time period from the last update time of the second additional data to the start of the broadcast time period of the first program data.

64. (Previously Presented) The broadcast apparatus of claim 25, further comprising:

criterion time period determining means for determining the predetermined criterion time period to be used by the judging means by multiplying a time period of a broadcast cycle of additional data by a predetermined coefficient.

65. (Previously Presented) The broadcast apparatus of claim 26, further comprising:

criterion time period determining means for determining the predetermined criterion time period to be used by the judging means by multiplying a time period of a broadcast cycle of additional data by a predetermined coefficient.

Patent
52478-0600

66. (Previously Presented) The broadcast apparatus of claim 30 further comprising:
criterion time period determining means for determining the predetermined
criterion time period to be used by the judging means by multiplying a time period of a broadcast
cycle of additional data by a predetermined coefficient.

67. (Previously Presented) The broadcast apparatus of claim 37,
wherein the accepting means further accepts, from the outside, an indication of
the predetermined time period.

68. (Previously Presented) The broadcast apparatus of claim 38,
wherein the accepting means further accepts, from the outside, an indication of
the predetermined time period.

69. (Previously Presented) The broadcast apparatus of claim 39,
wherein the accepting means further accepts, from the outside, an indication of
the predetermined time period.

70. (Previously Presented) The broadcast apparatus of claim 40,
wherein the accepting means further accepts, from the outside, an indication of
the predetermined time period.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☒ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.